



25 JAN 2006

Stephen T. Olson
Harness, Dickey & Pierce, PLC
P.O. Box 828
Bloomfield Hills, MI 48303

In re Application of
Grech et al.
Application No.: 10/540,006
PCT No.: PCT/US03/38021
Int. Filing Date: 26 November 2003
Priority Date: 30 November 2002
Attorney Docket No.: 4623C-083/NPB
For: Reduced Water Consumption Flush Toilet


DECISION
ON
PETITION


The petition to revive under 37 CFR 1.137(b) filed 20 June 2005 in the above-captioned application is hereby **GRANTED** as follows:

Applicant states that "the entire delay in filing the required reply from the due date for the required reply until the filing of a grantable petition under 37 CFR 1.137(b) was unintentional." This statement is being accepted in satisfaction of 37 CFR 1.137(b)(3).

A review of the application file reveals that counsel has filed the required reply in the form of the basic national fee, and has paid the petition fee. Thus, the requirements of 37 CFR 1.137(b) have been satisfied. Therefore, the request to revive the application abandoned under 35 U.S.C. 371(d) is granted as to the National stage in the United States of America.

This application is being forwarded to the United States Designated/Elected Office for further processing, including the preparation and mailing of a Notification of Missing Requirements (Form PCT/DO/EO/905) requiring the payment of the surcharge under 37 CFR 1.492(h) and the submission of an oath or declaration compliant with 37 CFR 1.497(a) and (b).


Richard Cole
PCT Legal Examiner
PCT Legal Office


George M. Dombroske
PCT Legal Examiner
PCT Legal Office
Tel: (571) 272-3283
Fax: (571) 273-0459